

The superiority of Reynobond® | Reynolux® Powder Look proven by tests.

Corrosion test: acetic acid salt spray according to ASTM G85 – 1,000 h:

Powder-coated sample

Liquid coil-coated sample
Reynolux® polyester



Infiltration on the cross: 5 mm
Infiltration along the banks: 4 mm

Infiltration on the cross: 0,5 mm
Infiltration along the banks: 1 mm



Conclusion:

The outstanding corrosion resistance of Reynobond® | Reynolux® Powder Look is much higher than a standard powder-coated solution.

QUV-B test according to ASTM G53 – 500 h:

Residual gloss

Colour deviation



— powder-coated sample
— liquid coil-coated sample Reynolux® polyester

Conclusion:

Residual gloss: After 500 h UV radiation Reynolux® liquid coating has a higher residual gloss than the powder-coated sample. Reynolux® keeps its attractiveness over many years.

Colour deviation: The Reynolux® liquid coating colour variation is significantly lower than in powder-coated surfaces. The original design of the liquid coil-coated Reynolux® sample remains nearly unchanged.

Alcoa Architectural Products

1 rue du Ballon
68500 Merxheim, France
Tel. +33 (0) 3 89 74 47 63
Fax +33 (0) 3 89 74 46 90
Reynobond.Service@alcoa.com
Reynolux.Service@alcoa.com
www.alcoaarchitecturalproducts.eu



Alcoa Architectural Products SAS – Capital 3,000,000 € – Siren 916 220 502 RC Colmar – Alcoa Architectural Products reserves the right to change the specification of its products – Misprints and printing errors reserved – Ref. BR10EN 07/2013




The elegance of powder coating with all the benefits of liquid coil coating.
Reynobond® | Reynolux® Powder Look:
Quality and aesthetics.

EXTREMELY DURABLE AND EASY TO HANDLE.

Reynobond® | Reynolux® Powder Look: The right choice for your next projects.

Reynobond® | Reynolux® Powder Look distinguish themselves by a uniform quality finish thanks to the liquid coil coating technology. Choose your favourite finish from a big range of colours – from plain-coloured to metallic surfaces with high gloss. We guarantee flexible and short delivery times and advice, before and during projects.



- Excellent resistance to mechanic corrosion, humidity, deformation, abrasion, acids, etc.
- Can resist even worst weather conditions and pollution without any sort of blistering
- Strong gloss retention
- Much better colour retention than powder-coated surfaces
- No VOC emissions
- 10 years warranty on the coating



For more details please refer to the technical data sheet.

One product for various applications.

Whether for applications like facades, roofs, shutters, accessories, signage, boxes, machine coverings or automobiles Reynobond® | Reynolux® powder look is suitable for different requirements in the following markets:

- Building industry
- Sign & Display
- Transport
- Industry
- Fastening
- Carpentry




Flexibility in processing and transforming.

Reynobond® | Reynolux® Powder Look are characterised by a long service life that requires little maintenance. Any sort of processing is possible, keeping intact the original colour. The flexibility in transformation allows freedom in design for unusual shapes. It is possible to drill, bend and roll both products, for example to achieve a fluid, homogeneous facade without angled joints.



Environmentally friendly coating.

1. Coil coating is the most **economical, efficient, high-quality** and **environmentally friendly** method for applying coatings to aluminium panels.
2. Reynolux® sheets and Reynobond® composite panels are coated and fabricated in **France**.
3. We continuously develop by improving the coatings in terms of their composition (solvents and pigments), **durability, sustainability** and **cleaning** requirements.
4. Our company's certification according to ISO 14001 illustrates our voluntary commitment to reducing our impact on the environment at all levels: water, energy, waste and use of resources ...



Wide range of colours.

Reynobond® | Reynolux® Powder Look is available in plain-coloured or metallic surfaces with high gloss. The powder look coating is applied on the top side, completed by a protective film.

You can find more surfaces in our colour charts.

